

Technology Roadmap

Competitive, resilient and sustainable offshore vessels

Contents

1. Description of the Sector	3
1.1 Definition and scope	3
1.2 Strategic role in the European waterborne ecosystem	6
1.3 Operational profile.....	7
1.4 Sector baseline and market characteristics	8
1.5 Offshore as a European technology-leadership opportunity	8
Drivers and Constraints	9
2.1 Drivers	9
2.2 Technology readiness	11
2.3 Constraints and bottlenecks	11
3. Target Capabilities	12
4. Technology Pathways	15
5. Enablers and Deployment	21
6. Expected Impacts	23

1. Description of the Sector

1.1 Definition and scope

For this roadmap, offshore vessels are defined by function. Offshore vessels are a wide category of vessels that facilitate offshore installations, operations and maintenance. Historically, this segment has focussed on oil and gas installations. But with the onset of offshore renewable energies and other Blue Growth activities, this fleet has transformed into an enabler of sustainable growth. Many of the offshore vessels are complex work vessels, such as installation vessels, dredgers, tugs and cable-laying vessels, which are capable of executing very accurate work. These types of vessels typically have high power needs, and a high energy consumption at peak moments. The technologies used for power generation are the same as those listed for transport vessels. As the offshore vessels are predominantly built in Europe, they are a suitable category for demonstration purposes.

The variety of operating profiles, as well as the size of ships, make offshore vessels ideal candidates for innovative solutions. Their close shore activities allow for more frequent fueling and thus low density energy carriers can be applied. Operating close to shore also means that it is necessary to reduce SOx and PM emissions to the maximum extent possible. Designs from full electric to hydrogen powered fuel cell hybrid solutions will make sense in this context. Today, hybrid battery systems are already being cost effectively deployed and some of the newest vessels can perform their operations at sea with zero-emission technologies, while transit is still covered with conventional diesel-electric systems using low-sulfur marine diesel oil. The latest announcements on new ship designs for offshore vessels show an extended zero emission target range of up to two weeks operation time based on a hybrid concept with 2MW hydrogen powered PEM fuel cells combined with 5,5MW diesel ICE.

The roadmap covers **six vessel families** and the vessel side systems that determine their performance: propulsion and energy systems, power management, dynamic positioning, station-keeping, deck and mission equipment, digital, automation and communication systems, onboard safety and security systems, human-machine interfaces, and interfaces with port, energy and offshore infrastructure.

- **Offshore wind service vessels.** These vessels carry technicians, parts and equipment to and from offshore wind farms for commissioning, operations and maintenance. The family runs from crew transfer vessels for nearshore day transfers to service operation vessels and commissioning service operation vessels for far-from-shore fields, the latter equipped with motion-compensated walk-to-work gangways, dynamic positioning and accommodation for technicians on multi-week campaigns.¹ Their defining parameters are dynamic-positioning station-keeping, gangway workability in significant wave height, and field endurance. As wind farms move further offshore and into deeper water, day-return crew transfer gives way to resident service operation, which is the central trend reshaping the family. The duty cycle (long time on station at moderate load, with frequent return to port or to charging) makes this the family most amenable to battery-electric and methanol or fuel-cell hybrid solutions.
- **Platform supply vessels.** These vessels carry deck cargo and below-deck bulk (drilling fluids, brine, cement, fuel and water) to offshore installations and wind farms and form the logistics backbone of offshore operations. They are characterised by a large clear aft deck, segregated cargo and liquid-

¹ Waterborne Technology Platform, SRIA (2024), 32; WindEurope, Wind Energy in Europe: 2024 Statistics and the Outlook for 2025–2030 (Brussels: WindEurope, 2025).

mud tanks, and dynamic positioning for safe approach to installations. Their profile combines extended transit with prolonged dynamic-positioning standby alongside the asset. This split makes dual-fuel arrangements for transit and hybrid-battery systems for peak-shaving and station-keeping the natural decarbonisation route.

- **Anchor-handling and towage vessels.** This family consists of tows, anchor-handlers, escorts and assists. Anchor-handling tug supply vessels move and set anchors for rigs and floating units and tow large structures; harbour tugs berth and unberth ships and are the dominant population, numbering some 1,595 port tugs across wider Europe in 2019, excluding offshore, supply and inland units; escort tugs deliver steering and braking force in confined waters; and pilotage vessels transfer pilots in port approaches, the coastline and offshore.² The defining parameters are high bollard pull with rapid power transients (averaging around 50 tonnes across the fleet and rising toward 80–90 tonnes for the largest vessels and occasional naval work, fire-fighting and safety-system notation on offshore units, and dynamic positioning on anchor-handlers.³ The work is intermittent but safety-critical and continuous in availability, operating around the clock. The duty cycle is the segment's hardest decarbonisation case: short, very high-power peaks during assistance and anchor work, separated by long low-load standby, against which battery-only operation remains endurance-limited (a battery tug delivers roughly one-eighth of the work of a diesel tug before recharging) so methanol, hydrogen and hybrid architectures are the routes under examination.⁴
- **Subsea construction and installation vessels.** These vessels install and maintain subsea and offshore structures (turbine foundations and turbines, jackets, manifolds and subsea production systems) and support diving and remotely-operated-vehicle intervention. The family includes offshore construction vessels with heavy-lift cranes and high-redundancy station-keeping; wind turbine installation vessels, which are self-elevating jack-up units that raise the hull clear of the water on legs to form a stable lifting platform; diving support vessels; and survey and remotely-operated-vehicle support vessels.⁵ Defining parameters are heavy-lift crane capacity, dynamic-positioning class up to DP3, jack-up leg length, which sets the installable water depth, and motion compensation during lifts. This is the build fleet for offshore energy, and the wind turbine installation vessel is the specific type Europe has been losing to Chinese builders.⁶ Peak power during heavy lifts and dynamic positioning is very high and the operations are increasingly far from shore, which points the family toward high-density fuels and high-power fuel-cell integration rather than batteries alone.
- **Cable-laying and cable-repair vessels.** These vessels install, bury, protect and repair power and communication cables, interconnectors and umbilicals. The family is depth-stratified: cable-lay vessels with carousels and tensioners serve deep and ultra-deep water; trenching-support vessels deploying seabed trenchers, ploughs and jetting tools serve medium and deeper water; shallow-draught support vessels serve shallow water; and the ultra-shallow and intertidal landfall zone, where export cables come ashore, remains under-served by conventional barges, anchor spreads

² Ecorys, Economic Impact of the European Towage Sector (Rotterdam: Ecorys, for the European Tugowners Association, 29 October 2019), 9–10 (1,595 port tugs, wider Europe, harbour towage, 2019, excluding offshore, supply and inland tugs); European Tugowners Association, stakeholder consultation for the Offshore Vessels Technology Roadmap (2026).

³ Ecorys, Economic Impact of the European Towage Sector (2019), 20, 28; dynamic-positioning classes per International Maritime Organization, Guidelines for Vessels and Units with Dynamic Positioning Systems, MSC.1/Circ.1580 (London: IMO, 2017).

⁴ European Tugowners Association, consultation (2026).

⁵ International Maritime Organization, MSC.1/Circ.1580 (2017); European Dredging Association, stakeholder consultation for the Offshore Vessels Technology Roadmap (2026).

⁶ European Commission, EU Industrial Maritime Strategy (Brussels: European Commission, 4 March 2026), 3.

and land excavators. Defining parameters are cable storage capacity on carousels or turntables, controlled lay tension, burial depth of up to about seven metres, and rock placement or stone-dumping for cable and pipeline protection.⁷ The driver is twofold: the export cables and interconnectors that offshore wind requires, and the protection of critical subsea infrastructure, which makes this the family most directly tied to the strategic-autonomy agenda.⁸

- **Dredging and reclamation vessels.** These vessels excavate, transport and place seabed material for navigation channels, port maintenance, coastal protection, land reclamation and offshore foundation preparation. The principal types are trailing suction hopper dredgers, self-propelled vessels that load a hopper while under way and discharge by bottom-dumping, pipeline or rainbowing; cutter suction dredgers, which cut hard material and pump it ashore or to barges; grab dredgers, used in confined or contaminated sites but not in deep water; and rock-placement and stone-dumping vessels.⁹ Defining parameters are hopper capacity, which ranges from roughly 7,000 to 30,000 cubic metres at working loads near 80%, cutter and dredge-pump installed power, and dredging depth.¹⁰ Demand is structurally resilient and weakly correlated with economic cycles, reflecting the sector's role in coastal and climate resilience. Installed power is very high and sustained during dredging, so LNG and dual-fuel are already adopted at the large end of the fleet, with battery systems applied to peaks.

A summary of the main missions and defining technical parameters by vessel family is shown in the table below.

Vessel family	Main missions	Defining technical parameters
Offshore wind service vessels	Crew transfer, service operation, commissioning support, wind-farm maintenance, technician accommodation and walk-to-work operations.	Field endurance; transfer safety; gangway workability; DP capability; battery and charging compatibility; hotel load; motion comfort.
Platform supply vessels	Deck cargo and below-deck bulk logistics for offshore installations, wind farms and subsea operations.	Clear deck area; segregated bulk/liquid tanks; DP capability; transit/work-mode split; peak shaving; safe approach to installations.
Anchor-handling, towage and pilotage vessels	Anchor handling, towage, escort, berthing, emergency assistance, pilot transfer and safety-critical port/offshore support.	Bollard pull; rapid load transients; manoeuvrability; availability; redundancy; fire-fighting and safety notations; battery or hybrid peak-power capacity.
Subsea construction and installation vessels	Heavy lift, subsea construction, wind-turbine and foundation installation, diving support, ROV/survey support, offshore decommissioning.	Crane capacity; DP class up to DP3; motion compensation; jack-up leg length where applicable; high peak power; station-keeping reliability.
Cable-laying and cable-repair vessels	Power cable, telecom cable, interconnector and umbilical laying, burial, protection, survey and repair.	Carousel/turntable capacity; controlled tension; burial depth; shallow/intertidal capability; repair

⁷ European Dredging Association, consultation (2026).

⁸ European Commission, EU Industrial Maritime Strategy (2026), 10; European Commission, European Preparedness Union Strategy, JOIN(2025) 130 (Brussels, 26 March 2025).

⁹ European Dredging Association, consultation (2026); European Dredging Association, EuDA Annual Report 2024 (Brussels: EuDA, 2024).

¹⁰ European Dredging Association, consultation (2026).

		mobilisation time; critical-infrastructure protection.
Dredging and reclamation vessels	Port and channel maintenance, capital dredging, coastal protection, land reclamation, seabed preparation, rock placement.	Hopper capacity; cutter and dredge-pump power; dredging depth; discharge mode; high sustained power; emissions per cubic metre dredged.

Harbour towage, pilotage and dredging overlap with the Port Ecosystems and blue-economy roadmaps. They are retained here where the technology issue is the vessel, not the port service or the wider activity. Conversely, generic maritime engines, fuels and equipment industrialization are treated in the Maritime Technology roadmap, and subsea or floating systems deployed by offshore vessels are treated in the Blue Economy roadmap¹¹.

1.2 Strategic role in the European waterborne ecosystem

Offshore vessels are a strategic enabler of European offshore renewable energy. Europe had 37 GW of offshore wind capacity at the end of 2024, of which the EU-27 accounted for 21 GW. New offshore projects require installation, cabling, service and maintenance vessels at every stage of the asset lifecycle.¹² The sector is also part of Europe's industrial and security base. The 2026 EU Industrial Maritime Strategy¹³ identifies advanced shipbuilding, offshore wind support vessels, underwater drones and high-tech maritime equipment as priorities for competitiveness, innovation and industrial sovereignty. The EU Ports Strategy¹⁴ highlights the need for larger and reinforced port facilities for offshore wind assembly, storage and deployment.

Europe leads globally in submarine cable vessels, offshore wind support vessels, floating and converter platforms, dredgers and icebreakers, but has lost wind turbine installation vessel building to competitors, principally China.¹⁵ Leadership is concentrated in the most complex, highest-value vessel types and is not secure across the full fleet. Subsea cables and pipelines require dedicated laying, repair and protection capability, an imperative sharpened by shadow-fleet activity and incidents in the Baltic and reflected in the European Preparedness Union Strategy and the EU Industrial Maritime Strategy.¹⁶

Towage and dredging add scale and continuity to this role. Harbour towage is a safety-critical service that assists roughly 80 to 90% of the cargo passing through Europe's major ports, supports around 11,150 jobs and about €1.2 billion in annual turnover in wider Europe, and contributes some €1.45 billion in total gross value added.¹⁷ Dredging delivers coastal and climate resilience and land

¹¹ Offshore vessel families per the Chapter 4 scope note; European Shipowners (ES|ECSA), The Economic Value of European Shipping (Brussels: ES|ECSA, 2026), 6–7.

¹² WindEurope, Wind Energy in Europe: 2024 Statistics (2025), 42-47; International Energy Agency, Energy Technology Perspectives 2026 (Paris: IEA, 2026), 145.

¹³ European Commission, European Preparedness Union Strategy (2025); European Commission, EU Industrial Maritime Strategy (2026), 10.

¹⁴ European Commission. EU Ports Strategy. Brussels, 4 March 2026.

¹⁵ European Commission, EU Industrial Maritime Strategy (2026), 3.

¹⁶ European Commission, European Preparedness Union Strategy (2025); European Commission, EU Industrial Maritime Strategy (2026), 10.

¹⁷ Ecorys, Economic Impact of the European Towage Sector (2019), 12–17, 27 (wider-Europe harbour towage: 80–90% of cargo tug-assisted; ~11,150 jobs; ~€1.2 billion turnover; ~€1.45 billion total GVA, 2019).

reclamation, and the European dredging industry invested over €11.1 billion in new equipment between 2008 and 2017 while steadily reducing emissions per cubic metre dredged.¹⁸

1.3 Operational profile

The operating profile of offshore vessels is defined by station-keeping, harsh-weather exposure, mission equipment and proximity to offshore energy, port and subsea critical infrastructure. Unlike cargo and passenger ships, whose design is usually governed by range, payload and voyage speed, offshore vessels are designed to perform specialised work at sea. Dynamic positioning, heave compensation, towing, high bollard pull, heavy lift, cable tensioning, trenching and dredge-pump operation create high installed-power requirements, rapid load transients and stringent redundancy needs¹⁹.

Power demand varies significantly across vessel families. Service and supply vessels combine transit with moderate-load dynamic-positioning standby. Tugs combine short, very high bollard-pull peaks with long periods of low-load standby. Construction and installation vessels require high peak power during lifting, jacking, positioning and subsea operations. Cable-laying and cable-repair vessels combine precise low-speed work with significant auxiliary loads for tensioning, storage, burial and protection systems. Dredgers require high sustained power during excavation, pumping, sailing and discharge. Across the segment, the common design challenge is therefore not average fuel consumption alone, but the ability to deliver safe, redundant and efficient power across highly variable duty cycles.

Two characteristics cut across all vessel families. First, harsh-weather exposure sets demanding requirements for reliability, structural response, motion compensation, crew safety and operational availability. Second, proximity to critical infrastructure raises the requirements for safety, cyber-physical protection, situational awareness and operational resilience. These requirements are becoming more demanding as offshore wind, floating energy systems, subsea interconnectors and other offshore assets move further from shore and into deeper and harsher environments. The historic assumption that offshore vessels can rely on frequent port calls, short transit distances and low-density energy carriers no longer applies across the fleet.

The energy transition for offshore vessels must therefore be duty-cycle- and distance-dependent rather than uniform. Nearshore service vessels, harbor tugs and selected port-based offshore support duties can move earlier towards battery-electric and hybrid-electric operation because they can return frequently to charging or bunkering points. Service operation vessels, platform supply vessels and anchor-handling units require hybrid and dual-fuel architectures that combine energy efficiency, redundancy and operational flexibility. Cable, construction, dredging and far-field offshore vessels require higher-density fuels, fuel-cell or combustion-based sustainable-fuel systems, and resilient onboard energy architectures capable of supporting long endurance and mission-critical power demand.

The transition will consequently proceed through a work-mode/transit-mode split. Zero-emission operation at the field, in port, or during defined safety-critical work modes can be achieved earlier than

¹⁸ European Dredging Association, EuDA Annual Report 2024 (2024), 6–7.

¹⁹ Waterborne Technology Platform, SRIA (2021), 32.

full zero-emission operation across all transit and endurance requirements. This makes offshore vessels a practical market for staged deployment: energy-efficiency measures, digital energy management and hybridisation in the near term; zero-emission work modes and port-based charging or bunkering in the 2030s; scalable sustainable alternative fuels and fuel-cell systems for far-field operations through the 2040s; and integrated offshore vessel, energy and infrastructure systems by 2050.

1.4 Sector baseline and market characteristics

The European-controlled fleet is substantial and specialised. As of January 2026 it comprised 1,567 offshore vessels totalling 16.7 million gross tonnes, alongside 549 dredgers totalling 2.0 million gross tonnes.²⁰ Europe holds 24% of world offshore vessel capacity by gross tonnage and 37% of world dredger capacity.²¹ The dredging industry estimates a working fleet of around 750 units once support vessels are included, and installs high-technology equipment even on older hulls.²² Ownership is fragmented: 90% of the more than 4,000 shipping companies in the EU-27 and Norway control fewer than ten vessels.²³

The fuel and power baseline remains diesel-electric. Most vessels burn low-sulphur marine diesel oil and switch to marine gas oil in sulphur emission control areas, hydrotreated vegetable oil is used as a drop-in substitute, and hybrid battery systems are deployed cost-effectively. The most advanced announced design pairs 2 MW of hydrogen-fuelled PEM fuel cells with 5.5 MW of diesel engines for a zero-emission operating range of up to two weeks.²⁴

The fleet ages slowly and renews through retrofit and the second-hand market as much as through newbuilding. Harbour tugs in wider Europe show an average age of around 25 years and a renewal rate of roughly 35 vessels a year, equivalent to about €311 million of annual investment, with building concentrated in Turkey, the Netherlands, the United Kingdom, Italy, Germany, Spain and Belgium; a standard tug costs roughly €10–11 million against about €13 million for an LNG or hybrid tug.²⁵ European vessels leaving the fleet are frequently sold for continued operation on other continents, and tug building, once European-led, is now strongly contested by Turkish and other non-EU builders, while Europe retains clear leadership in dredgers and in the most complex cable and construction vessels.²⁶

1.5 Offshore as a European technology-leadership opportunity

Offshore vessels offer one of Europe's strongest demonstration arenas for zero-emission, digitally enabled and mission-critical waterborne technologies. The segment combines European industrial capability, high technical complexity and operational diversity. Many offshore vessels are still designed, built, equipped or upgraded within European maritime value chains, and their duty cycles range from nearshore, port-connected operations to far-field, high-endurance missions. This makes the sector well suited for first-of-a-kind deployment of fuel-cell, battery-electric, alternative fuel hybrid and

²⁰ European Shipowners (ES|ECSA), The Economic Value of European Shipping (Brussels: ES|ECSA, 2026), 12 (data: Clarksons Research, status January 2026).

²¹ Ibid., 12.

²² European Dredging Association, consultation (2026).

²³ ES|ECSA, The Economic Value of European Shipping (2026), 4.

²⁴ Waterborne Technology Platform, SRIA (2021), 32.

²⁵ Ecorys, Economic Impact of the European Towage Sector (2019), 11, 18–20 (average fleet age 25 years; ~35 newbuilds and ~€311 million investment per year; standard tug €10–11 million, LNG or hybrid tug ~€13 million).

²⁶ European Tugowners Association, consultation (2026); ES|ECSA, The Economic Value of European Shipping (2026), 12.

digitally optimized energy systems, before these technologies are transferred to larger-volume maritime segments²⁷.

The segment also matches the type of high-value, low-volume specialised market prioritised by the EU Industrial Maritime Strategy for concentrated European industrial effort. Its most complex vessel types, including cable-laying, offshore construction, dredging and offshore towage vessels, are not only commercial assets. They are also part of the industrial and operational base needed for offshore renewable energy, subsea infrastructure protection, coastal resilience, emergency response and dual-use preparedness. In this sense, offshore vessels are directly linked to European strategic autonomy.

Sustaining this leadership requires deliberate RD&I, demonstration, procurement and fleet-renewal investment. European strength in specialized offshore vessels cannot be assumed to continue automatically. The loss of wind turbine installation vessel building to non-European competitors shows that leadership in complex maritime technologies can erode when industrial investment, market demand, certification pathways and deployment support are not aligned²⁸.

Drivers and Constraints

2.1 Drivers

- **Regulatory drivers.** The EU climate framework is now reaching offshore vessels and is becoming a strong near-term driver of monitoring, reporting, fleet renewal and technology deployment. From 1 January 2025 offshore ships of 400 GT and above are required to monitor, report and verify their greenhouse gas emissions under the revised MRV Regulation; from 1 January 2027 offshore ships above 5,000 GT enter the EU Emissions Trading System; and FuelEU Maritime, which applies from 1 January 2027 to ships above 5,000 GT within its defined scope, strengthens the wider market signal for renewable and low-carbon marine fuels, while the Alternative Fuels Infrastructure Regulation mandates shore-side electricity for container and passenger ships but not specifically for offshore vessels.²⁹ These instruments do not affect all offshore vessel families equally: the largest construction, cable-laying, supply and service vessels are more directly exposed, while parts of the towage and smaller offshore support fleet remain below pricing thresholds³⁰. The result is a differentiated but increasingly clear demand signal for propulsion, energy-efficiency, monitoring, certification and compliance solutions.
- **Offshore-energy demand.** Offshore wind is the dominant demand driver and sets the workload for installation, cabling, service and maintenance vessels. EU-27 offshore wind capacity reached 21 GW at the end of 2024, within a European total of 37 GW, with 2.6 GW of new offshore capacity connected during 2024.³¹ Demand is also moving into more complex operating environments. Larger wind farms, deeper sites, floating offshore wind, longer export-cable routes and more distant interconnectors increase transit distance, time on station, installation complexity and maintenance

²⁷ Waterborne Technology Platform, SRIA (2021), 32.

²⁸ European Commission, EU Industrial Maritime Strategy (2026), 3.

²⁹ Regulation (EU) 2023/957 (MRV), offshore ships of 400 GT and above from 1 January 2025; Directive (EU) 2023/959 (EU ETS), offshore ships above 5,000 GT from 1 January 2027; Regulation (EU) 2023/1805 (FuelEU Maritime), ships above 5,000 GT from 1 January 2025; Regulation (EU) 2023/1804 (AFIR).

³⁰ European Tugowners Association, consultation (2026).

³¹ WindEurope, Wind Energy in Europe: 2024 Statistics (2025), 32-37; International Energy Agency, Energy Technology Perspectives 2026 (2026), 145.

intensity. From the 2030s, export cable and interconnector projects will also require more capable landfall, burial, repair and protection solutions in shallow, ultra-shallow and intertidal zones where conventional barges, anchor spreads and land-based equipment are often constraint. This demand drives innovation in propulsion, dynamic positioning, mission equipment, automation, cable handling, digital planning and offshore logistics integration.

- **Coastal resilience and counter-cyclical demand.** Dredging demand is structurally resilient and weakly correlated with economic cycles, because it is linked to port maintenance, navigation-channel depth, land reclamation, coastal protection and adaptation to sea-level rise and flooding.³² Climate adaptation, port expansion, offshore foundation preparation and beach nourishment create continuing demand for specialised dredging and reclamation vessels. Decommissioning of ageing oil and gas infrastructure adds a further counter-cyclical workload for construction, lifting, subsea support and specialised offshore service vessels.
- **Critical-infrastructure protection and dual use.** Offshore vessels have become instruments of strategic autonomy. Subsea communication cables, electricity interconnectors, offshore energy assets and pipelines require dedicated installation, inspection, maintenance, repair and protection capability. This is reflected in the EU Action Plan on Cable Security, the European Preparedness Union Strategy and the EU Industrial Maritime Strategy measures on maritime domain awareness, subsea infrastructure and cable security.³³ Cable-laying, cable-repair, survey, construction, dredging, towage and offshore support vessels have a strategic function beyond their commercial role. Large dredgers and specialized offshore vessels also have a dual-use relevance for emergency response, coastal resilience, military mobility, seabed intervention and critical infrastructure protection, reinforcing the case for retaining European capability.³⁴
- **Industrial competitiveness and sovereignty.** The EU Industrial Maritime Strategy and the EU Ports Strategy, both adopted in March 2026, create a supply-side driver for the offshore vessel segment. The Industrial Maritime Strategy focuses on strengthening Europe's "Build, Equip and Repair" capability, reinforcing maritime manufacturing and technological leadership, and examining an EU framework for the mutual recognition of offshore service and industrial vessels. The Ports Strategy recognises that offshore wind and floating installations require larger and reinforced port facilities for assembly, storage and deployment.³⁵ Together, these strategies connect offshore vessel innovation to European shipbuilding, maritime equipment, ports, offshore energy deployment and strategic autonomy. They also underline the need to prevent further erosion of European leadership in specialised vessel types.
- **Systemic weight and safety-criticality of towage.** Towage is a systemically important and safety-critical service whose decarbonisation cannot reduce operational availability, emergency response capability or port safety. Harbour towage assists a large share of cargo movements through Europe's major ports, operates around the clock and supports port continuity, navigational safety and resilience during abnormal or emergency conditions. More specifically, it assists roughly 80 to 90% of the cargo passing through the major ports, supports around 11,150 jobs and about €1.2 billion in

³² European Dredging Association, EuDA Annual Report 2024 (2024), 6–7; European Dredging Association, consultation (2026).

³³ European Commission, European Preparedness Union Strategy (2025), 12-14; European Commission, EU Industrial Maritime Strategy (2026), 10, 13–14.

³⁴ Ibid (2026).

³⁵ European Commission, EU Industrial Maritime Strategy (2026), 3, 10; European Commission, EU Ports Strategy (Brussels, 4 March 2026).

annual turnover.³⁶ This makes towage a specific driver for high-power hybridisation, alternative fuel readiness, better peak-shaving, shore charging, operational optimisation and robust safety standards.

2.2 Technology readiness

Technology readiness varies significantly across the offshore vessel segment and is therefore a central consideration for roadmap sequencing. Hybrid-battery systems, digital energy management, dynamic-positioning optimisation, predictive maintenance and drop-in renewable fuels are already deployable in selected applications. Methanol-capable engines, fuel-cell hybrids, shore and offshore charging concepts, remote support systems and digital twins are moving from demonstration to early commercial deployment. Full zero-emission far-field operation, offshore bunkering of new fuels, high-power charging during mission operations, autonomous dynamic-positioning functions and harmonised certification of alternative-fuel offshore vessels still require targeted RD&I, demonstration and regulatory development. The roadmap therefore distinguishes between solutions that can be deployed immediately, solutions that must be scaled through the 2030s, and solutions that require coordinated research, infrastructure and regulatory action before full commercial deployment.

2.3 Constraints and bottlenecks

- **Peak and transient power.** The binding technical constraint is peak and transient power, not average consumption. Dynamic positioning, bollard pull, heave compensation and cutter or dredge-pump operation demand high installed power and rapid load transients, and energy storage must be sized for these peaks rather than for mean load. A battery-only tug was reported to perform roughly one-eighth of the work of a diesel tug before recharging, which illustrates the endurance penalty of electrification for high-peak duties.³⁷
- **Worksite fuel availability and bunkering.** Fuel logistics constrain deployment as much as vessel technology. Bunkering hydrogen, ammonia or methanol at far-from-shore worksites is undeveloped, so nearshore duties that allow frequent refueling favour battery-electric solutions while far-field duties depend on onboard generation, high-density carriers or dedicated supply vessels.³⁸
- **Fleet age, heterogeneity and retrofit economics.** The fleet is heterogeneous, long-lived and renews slowly, which makes retrofit as important as newbuilding. Harbour tugs in wider Europe show an average age of around 25 years and a renewal rate of roughly 35 vessels a year, and offshore and dredging vessels are frequently bespoke with thin secondary markets.³⁹ Retrofitability, modularity and lifecycle-cost reduction are therefore decisive.
- **Industrial build-share erosion and the cost gap.** European leadership is concentrated in the most complex vessel types and is not secure. Europe has lost wind turbine installation vessel building to China and faces strong competition in tug building from Turkish and other non-EU yards, and a green newbuild carries a clear cost penalty: a standard tug costs roughly €10–11 million against about €13

³⁶ Ecorys, Economic Impact of the European Towage Sector (2019), 12–17, 27.

³⁷ European Tugowners Association, consultation (2026).

³⁸ Waterborne Technology Platform, SRIA (2021), 32.

³⁹ Ecorys, Economic Impact of the European Towage Sector (2019), 11; European Tugowners Association, consultation (2026).

million for an LNG or hybrid tug, and consultation evidence puts the premium for an alternative-fuel vessel at one-third to one-half over a conventional diesel equivalent.⁴⁰

- **Thin margins, fragmented ownership and the financing gap.** The segment combines margins with fragmented ownership and capital-intensive assets. Harbour towage operates at an average profit margin of about 8%, and 90% of the more than 4,000 shipping companies in the EU-27 and Norway control fewer than ten vessels, while there are no financial instruments specific to the segment.⁴¹
- **Safety and regulatory readiness.** Safety frameworks lag technology. Offshore handling of hydrogen, ammonia and methanol near structures, battery fire risk, high-power charging during dynamic positioning, and autonomous operation all require updated safety cases and certification, and national approval regimes remain fragmented; the European Commission will examine mutual recognition of offshore service and industrial vessels, while concerns persist over the market-access provisions of the Port Services Regulation.⁴²
- **Regulatory design mismatch.** The EU climate instruments are designed for transport shipping and map imperfectly onto offshore duty cycles. They are voyage- and port-call-based, whereas offshore vessels consume most of their energy on station rather than between ports, and the 400 GT, 500 GT and 5,000 GT thresholds split the towage market and leave many smaller offshore vessels inside monitoring but outside pricing.⁴³
- **Critical-infrastructure vulnerability and export controls.** Cable, construction and survey vessels are strategic assets exposed to cyber and physical risk, with limited redundancy and surveillance capability relative to the value of the infrastructure they protect, and the dual-use status of large dredgers is mirrored by export controls that complicate fleet supply.⁴⁴
- **Digital fragmentation and interoperability.** Interoperability across vessels, asset-owner and operator systems is limited, which holds back the connected operations that efficiency and automation require. Data exchange between vessels, offshore installations and shore control centres remains largely project-specific.⁴⁵
- **Workforce and skills.** The workforce needs new competences for sustainable alternative fuels, automation and subsea robotics, against a reported shortage of seafarers and pilots and a safety-critical, around-the-clock operating pattern.⁴⁶

3. Target Capabilities

The capabilities are stated across three horizons. Five domains recur within each, carrying the objectives they serve: **propulsion and energy; safety, security and resilience; connected, automated and data-driven operations; human-centred operations and workforce; and regulation and system-level integration.**⁴⁷ The horizons build on a current baseline of cost-effective hybrid-battery systems, zero-emission at-field operation with conventional transit, and maturing digital twins

⁴⁰ European Commission, EU Industrial Maritime Strategy (2026), 3; Ecorys, Economic Impact of the European Towage Sector (2019), 20; European Tugowners Association, consultation (2026).

⁴¹ Ecorys, Economic Impact of the European Towage Sector (2019), 15; ES|ECSA, The Economic Value of European Shipping (2026), 4.

⁴² European Commission, EU Industrial Maritime Strategy (2026), 10; European Maritime Safety Agency, Safety Analysis 2025 (Lisbon: EMSA, 2025); Regulation (EU) 2017/352 (Port Services Regulation).

⁴³ Directive (EU) 2023/959; Regulation (EU) 2023/1805, Article 2 (scope); European Tugowners Association, consultation (2026).

⁴⁴ European Commission, European Preparedness Union Strategy (2025); European Dredging Association, consultation (2026).

⁴⁵ Waterborne Technology Platform, Waterborne Technology Leadership (2026), section 3.3; European Tugowners Association, consultation (2026).

⁴⁶ European Tug owners Association, consultation (2026); European Maritime Safety Agency, Safety Analysis 2025 (2025).

⁴⁷ Waterborne Technology Platform, *Waterborne Technology Leadership* (Brussels, 2026), section 3.4; capability domains aligned with Chapter 4 (Technology Pathways); vessel-only boundary per Chapter 1.1.

and predictive maintenance, with European leadership concentrated in the most complex vessel types.⁴⁸

3.1 By 2035 — early deployment

Propulsion and energy: Hybrid and zero-emission propulsion will be scaled across offshore segments. Zero-emission work mode will be standard on nearshore service vessels; battery-electric systems will serve low-energy duties such as service and crew transfer, while alternative fuel systems serve energy-intensive duties such as anchor-handling and heavy construction. Hybridization will be retained for dynamic-positioning redundancy, dual-fuel systems provide flexibility under fuel-supply constraints, and integrated DC grids, advanced energy management and hydrodynamic energy-saving devices reduce demand.⁴⁹

Safety, security and resilience: Advanced situational awareness will integrate environmental, vessel and offshore-installation data; predictive maintenance will reduce operational risk and downtime; and cyber-secure systems will protect mission-critical offshore operations.⁵⁰

Connected, automated and data-driven operations: Connected, partly remote-operated fleets will exchange real-time data with offshore installations and shore control centres; operational optimisation will reduce energy consumption; low-complexity functions such as inspection and light construction will operate autonomously; and digital twins will support mission planning.⁵¹

Human-centred operations and workforce. Decision-support systems will assist crews during complex operations, simulation and extended-reality environments support mission preparation, and remote-operation-centre concepts will support selected offshore missions.⁵²

Regulation and system-level integration. Regulatory pathways will enable certification of alternative-fuel offshore vessels, and regulatory sandboxes support pilot projects for autonomous offshore operations.⁵³

3.2 By 2040 — scale-up

Propulsion and energy. Fuel-cell and sustainable alternative fuel propulsion will be in commercial, scaled deployment across segments. Vessels will integrate with offshore and onshore energy systems through charging, bunkering and energy exchange, and technology-neutral pathways will be adapted to mission and power demand.⁵⁴

Safety, security and resilience. Safety systems will predict operational risk during complex missions, autonomous incident-response systems will assist crews in high-risk scenarios, and cyber-resilient operational architectures will support autonomous functions and secure communication.

⁴⁸ Waterborne Technology Platform, *SRIA* (2021), 32; European Commission, *EU Industrial Maritime Strategy* (2026), 3.

⁴⁹ Waterborne Technology Platform, *Waterborne Technology Leadership* (2026), section 3.4; Waterborne Technology Platform, *SRIA* (2021), 32.

⁵⁰ Waterborne Technology Platform, *Waterborne Technology Leadership* (2026), section 3.4; European Commission, *EU Industrial Maritime Strategy* (2026), 10; European Commission, *European Preparedness Union Strategy* (2025).

⁵¹ Waterborne Technology Platform, *Waterborne Technology Leadership* (2026), section 3.4.4; European Maritime Safety Agency, *Safety Analysis 2025* (Lisbon: EMSA, 2025).

⁵² Waterborne Technology Platform, *Waterborne Technology Leadership* (2026), section 3.4.

⁵³ European Commission, *EU Industrial Maritime Strategy* (2026), 10; Chapter 4, section 4.5.

⁵⁴ Waterborne Technology Platform, *Waterborne Technology Leadership* (2026), sections 3.4.4–3.4.5.

Connected, automated and data-driven operations. Offshore missions will be monitored and supported from shore-based control centres, autonomous functions will cover repetitive logistics, inspection and monitoring, digital twins will support predictive maintenance across vessels and infrastructure, and automated launch-and-recovery and integrated logistics platforms will be in use.

Human-centred operations and workforce. Advanced human-machine teaming will support planning, safety monitoring and maintenance, shore-based specialist support will be integrated into operations, and standardised human-centred design applies across vessel systems.

Regulation and system-level integration. International standards will govern zero-emission offshore vessel operations and energy systems, and integrated planning frameworks coordinate offshore energy infrastructure and maritime logistics.

3.3 By 2050 — full transformation

Propulsion and energy. The fleet will be fully zero-emission. Zero-emission propulsion will be standardised, modular and scalable across vessel categories, and vessels interact dynamically with offshore renewable infrastructure for energy supply and optimisation.

Safety, security and resilience. Fully integrated predictive safety ecosystems will link vessels, offshore infrastructure and shore control centres, enabling near-zero-incident operations, and reliable European-controlled communication, satellite and positioning infrastructure underpins secure operation throughout.⁵⁵

Connected, automated and data-driven operations. Fully connected offshore energy-logistics systems will coordinate vessels, installations and energy infrastructure, autonomous logistics will operate for selected mission types, and highly automated vessels will operate with minimal intervention in defined areas.

Human-centred operations and workforce. Highly automated operations will run under human oversight supported by advanced decision support, integrated digital workforce ecosystems will combine training, operations and lifecycle support, and mature social-acceptance and ethics frameworks are in place.

Regulation and system-level integration. A fully harmonised regulatory ecosystem will support climate-neutral fleets and integrated offshore energy systems, and European frameworks and standards will be adopted globally.

3.4 Cross-cutting capability implications

The pathway is differentiated by duty cycle and distance, not by a single trajectory: nearshore service vessels follow an electrification pathway, while far-field construction and cable vessels follow a high-density-fuel and fuel-cell pathway. Dynamic positioning and station-keeping, not range, are the defining design constraints across every domain. The vessel is treated throughout as a platform; the subsea systems, energy systems and floating infrastructure it deploys are specified in the Blue Economy roadmap, and the boundary is held so that the two roadmaps integrate without duplicating.

⁵⁵ European Commission, *EU Industrial Maritime Strategy* (2026), 13.

The critical-infrastructure and dual-use dimension runs across all domains and horizons, because cable, construction and survey vessels are simultaneously commercial and strategic assets.⁵⁶

4. Technology Pathways

The technology pathways translate the target capabilities into research, development, innovation, upscaling and deployment priorities for offshore and specialised maritime work vessels.

4.1 Future propulsion and energy systems enabling a zero-emission offshore fleet

Objective: Enable scalable, safe and efficient zero-emission propulsion and energy systems for offshore vessels. This includes complementary technology pathways such as batteries, fuel cells and sustainable alternative fuels, including hydrogen, ammonia and methanol, to decarbonize offshore vessel operations across work, transit, standby and port modes and to support integration with offshore energy systems. Solutions must reflect the diversity of offshore vessel segments, power profiles, endurance needs and mission requirements.

Target capability:

Horizon	Target capability	Expected readiness
2035	Scaled deployment of hybrid and zero-emission propulsion systems across offshore vessel segments, building on current hybrid solutions and expanding zero-emission capabilities across operational profiles.	TRL 8-9
	Hybridisation maintained in relevant vessel segments to ensure operational redundancy, safety and resilience during mission-critical offshore operations and dynamic positioning.	TRL 8-9
	Alternative Fuel propulsion systems for energy-intensive operations such as anchor-handling and heavy construction, and battery-electric propulsion systems for less energy-intensive operations such as service and crew-transfer duties, enabling technology differentiation based on power demand and mission profile.	TRL 8-9
	Commercial dual-fuel systems enabling use of sustainable alternative fuels when available, providing flexibility under fuel availability constraints.	TRL 8-9
	Widespread use of battery systems and hybrid architectures for battery-prioritised propulsion, redundant manoeuvring, peak shaving and energy optimisation, expanding beyond current partial electrification.	TRL 9
	Initial deployment of fuel-cell and sustainable alternative-fuel solutions in offshore vessel segments, moving beyond pilot projects and early demonstrations.	TRL 6-8
	Retrofit solutions enabling dual-fuel and zero- or low-emission capabilities for existing vessels, addressing current barriers related to cost and technical integration.	TRL 7-8
	Increased use of unmanned and remotely operated vessels for subsea operations, reducing energy demand and reducing reliance on large, energy-intensive vessels.	TRL 7-8

⁵⁶ Waterborne Technology Platform, *SRIA* (2021), 26, 32.

	Deployment of integrated DC-grid and hybrid-energy systems enabling flexible combination of power sources and storage, building on current system-integration approaches.	TRL 8-9
	Advanced energy-management systems with high energy efficiency, optimising performance across dynamic load profiles and improving efficiency compared with current operational practices.	TRL 8-9
	Offshore vessel designs optimised for energy efficiency and reduced environmental impact, including reduced emissions to sea and lower overall energy demand compared with current operational baselines.	TRL 8-9
	Reduced energy demand for offshore vessel travel through development, validation and improvement of hydrodynamic energy-saving devices. No single energy-saving technology will significantly reduce travel energy consumption on its own, but combined energy-saving device packages can offer shipowners meaningful reductions in energy demand.	TRL 8-9
2040	Commercial and scaled deployment of fuel-cell and sustainable alternative fuel propulsion systems, including hydrogen, ammonia and methanol, across offshore vessel segments, moving from early adoption to widespread commercial use.	TRL 8-9
	Integration with offshore and onshore energy systems, including commercial charging, bunkering and energy exchange, enabling coordinated energy use across offshore energy infrastructure.	TRL 7-8
	Increased deployment of hybrid and low-emission unmanned vessels, reducing overall fleet energy demand and shifting towards more efficient fleet structures.	TRL 7-8
	Technology-neutral propulsion pathways deployed across offshore vessel categories, enabling adaptation to different missions, energy demands and operational environments.	TRL 8-9
2050	Fully zero-emission offshore fleet across European offshore energy operations.	TRL 9
	Standardised, modular and scalable zero-emission propulsion systems deployable across offshore vessel categories, enabling industrialised deployment and global competitiveness.	TRL 9
	Fully integrated offshore energy ecosystems where vessels interact dynamically with renewable-energy infrastructure for energy supply and optimisation, moving beyond isolated vessel operations to system-level integration.	TRL 9

Key research gaps:

- Research on integrating scalable zero-emission propulsion systems, including batteries, fuel cells and sustainable alternative fuels, across all offshore operational modes, addressing current limitations in full-mission zero-emissions. (TRL 5-7 -> 7-9)
- Research on energy-storage technologies and power systems capable of handling variable and high-demand offshore operational profiles, improving performance under dynamic-load conditions. (TRL 5-7 -> 7-9)
- Research on storage, handling, operations, monitoring and risk mitigation for fuels such as hydrogen, ammonia and methanol in offshore environments, where current solutions rely on limited operational experience. (TRL 5-7 -> 7-9)

- Research on operation of fuel cells under varying operational conditions, including air quality and vessel motions, addressing durability and reliability challenges. (TRL 5-7 -> 7-9)
- Research on propulsion systems enabling multi-mission capability and adaptability across vessel types and operations, moving beyond vessel-specific designs. (TRL 5-7 -> 7-9)
- Research evaluating performance, safety, cost and operational suitability of different fuel and energy pathways, including testing and validation prior to large-scale deployment, supporting technology-neutral decision-making. (TRL 4-6 -> 7-8)
- Research on ship-design methods and tools that support optimisation for complex operational profiles and multiple design criteria, beyond current single-objective design approaches. (TRL 5-7 -> 7-9)
- Research on advanced energy-saving technologies, including drag reduction, efficient propulsion, energy harvesting and voyage optimisation, to reduce overall energy demand across offshore operations. (TRL 5-7 -> 7-9)
- Research on hydrodynamic hull-form optimisation and propulsor integration for offshore vessels operating under highly variable duty cycles, reducing baseline energy demand across vessel categories and operational profiles. (TRL 4-6 -> 7-9)
- Research on probabilistic extreme-load modelling, structural monitoring and vessel-response systems, supporting safe and efficient offshore operations under changing environmental conditions and future climate scenarios. (TRL 4-6 -> 7-9)

4.2 Intelligent safety, security and resilience as foundational enablers

Objective: Enable predictive safety systems and resilient offshore vessel operations capable of managing increasingly complex design architectures, complex missions, sustainable alternative fuel systems and increasingly digitalised operations under demanding environmental conditions. Solutions must support safe autonomous and remotely operated offshore functions, clear human responsibility and cyber-secure operations.

Target capability:

Horizon	Target capability	Expected readiness
2035	Advanced situational-awareness systems integrating environmental sensing, vessel systems and offshore-installation data, expanding beyond isolated monitoring systems.	TRL 7-8
	Advanced predictive-maintenance systems reducing operational risk and downtime, moving beyond scheduled and reactive maintenance approaches.	TRL 7-8
	Cyber-secure vessel systems protecting mission-critical offshore operations, addressing increasing digitalisation and cyber-risk exposure.	TRL 7-8
2040	Safety systems capable of predicting operational risks during complex offshore missions, building on current early-stage predictive tools.	TRL 7-8
	Independent autonomous incident-response systems assisting crews during high-risk operational scenarios, expanding beyond manual emergency-response procedures.	TRL 7-8
	Integrated cyber-resilient offshore operational architectures supporting autonomous functions, secure communication and resilient offshore operations.	TRL 7-8

2050	Fully integrated predictive safety ecosystems linking vessels, offshore infrastructure and shore control centres, enabling system-level safety management.	TRL 9
	Zero-incident offshore operations enabled through intelligent monitoring and automated risk mitigation, representing a shift from reactive to fully predictive safety systems.	TRL 9

Key research gaps:

- AI-based decision-support systems for offshore operational safety, moving beyond current advisory systems towards predictive and autonomous support. (TRL 5-7 -> 7-9)
- Integration of environmental monitoring data into real-time vessel safety systems, addressing current fragmentation between data sources and operational systems. (TRL 5-7 -> 7-9)
- Safe handling, monitoring and emergency-response systems for sustainable alternative fuels in offshore environments, as current solutions rely on limited operational experience and case-specific assessments. (TRL 5-7 -> 7-9)
- Research on cybersecurity priorities for autonomous and remotely operated offshore vessels, addressing continuously evolving cyber threats. (TRL 5-7 -> 7-9)
- Research on responsibility, decision-making and liability in autonomous offshore operations, clarifying human, operator and system roles. (TRL 4-6 -> 7-8)
- Research on dual-use preparedness and resilience for offshore vessels operating near critical infrastructure. (TRL 4-6 -> 7-8)
- Research on goal-based safety frameworks for autonomous and remotely operated offshore systems, supporting certification beyond current prescriptive regulatory approaches. (TRL 4-6 -> 7-9)
- Research on Operational Design Domain definition and functional-equivalence methodologies for offshore autonomous functions operating under varying environmental and mission conditions. (TRL 4-6 -> 7-9)
- Research on maritime-domain-awareness systems supporting monitoring and protection of offshore energy infrastructure and other critical offshore assets. (TRL 5-7 -> 8-9)
- Research on resilient operational architectures combining vessel, infrastructure and logistics data to maintain operational continuity during cyber incidents, environmental disruptions and infrastructure failures. (TRL 5-7 -> 7-9)

4.3 Fully connected, automated and data-driven offshore systems

Objective: Enable fully integrated offshore mission systems where vessels, offshore installations and onshore control centres exchange operational data in real time to optimise logistics, maintenance, safety and energy use.

Target capability:

Horizon	Target capability	Expected readiness
2035	Connected and partly remote-operated offshore vessel fleets exchanging real-time operational data with offshore installations and shore control centres demonstrated in commercial context, moving beyond current pilot and project-based deployments.	TRL 7-8

	Operational-optimisation systems improving fleet coordination and reducing energy consumption demonstrated in commercial context, expanding beyond isolated optimisation tools.	TRL 7-8
	Autonomous operation of vessel systems with limited complexity, such as inspection, maintenance and light construction, demonstrated in commercial context, while more complex operations are piloted.	TRL 7-8
	Digital twins used as operational enablers for selected offshore vessels and mission planning.	TRL 7-8
2040	Remote operational capabilities enabling offshore missions to be monitored and supported from shore-based control centres, enabling more efficient and centralised operations.	TRL 7-8
	Autonomous vessel functions supporting repetitive offshore logistics, inspection and monitoring tasks, scaling beyond current demonstration projects.	TRL 7-8
	Digital twins supporting predictive maintenance and operational planning for vessels and offshore installations, integrating vessel and infrastructure data beyond current isolated applications.	TRL 7-8
	Automated launch-and-recovery and system-interaction capabilities demonstrated for selected offshore missions.	TRL 7-8
	Autonomous maintenance and below-deck system monitoring supporting reduced manual intervention onboard.	TRL 7-8
	Integrated offshore logistics and operational-planning platforms enabling real-time coordination of vessels, offshore installations, maintenance activities and energy systems across offshore operations.	TRL 7-8
2050	Fully connected offshore energy-logistics systems coordinating vessels, installations and energy infrastructure.	TRL 9
	Autonomous offshore logistics operations deployed for selected mission types such as inspection, monitoring and cargo transfer.	TRL 8-9
	Highly automated offshore vessels capable of operating with minimal manual intervention in defined missions and operational areas.	TRL 8-9

Key research gaps:

- AI-supported fleet and mission optimisation for offshore logistics, moving beyond current rule-based and fragmented optimisation approaches. (TRL 5-7 -> 7-9)
- Autonomous navigation and operational systems adapted to complex offshore environments, addressing challenges related to safety, reliability and environmental conditions. (TRL 5-7 -> 7-9)
- Integrated digital systems enabling more complete and automated offshore maritime operations, overcoming current system fragmentation and enabling system-level optimisation. (TRL 5-7 -> 7-9)
- Research on what autonomous offshore systems can and cannot safely perform across navigation, maintenance, logistics and mission operations. (TRL 4-6 -> 7-8)
- Research on reliability, redundancy and fail-safe behaviour of autonomous and remotely operated offshore systems. (TRL 5-7 -> 7-9)
- Research on virtual testing, algorithm training and virtual prototyping for autonomous offshore operations. (TRL 4-6 -> 7-9)
- Research on automated maintenance and below-deck energy-system monitoring in vessels with reduced or no manual onboard operation. (TRL 5-7 -> 7-9)

4.4 Human-centred design and a future-ready offshore workforce

Objective: Enable safe and effective human-machine collaboration in offshore operations through advanced decision support, training systems and ergonomic vessel design. Solutions must support social acceptance, ethical use of AI, remote-operation centres and competence development for increasingly automated offshore operations.

Target capability:

Horizon	Target capability	Expected readiness
2035	Decision-support systems assisting crew during complex offshore operations, moving beyond current manual and experience-based decision-making.	TRL 7-8
	Digital training environments using simulation and extended reality for offshore mission preparation, addressing current limitations in training for complex and high-risk operations.	TRL 7-8
	Remote-operation-centre concepts supporting selected offshore missions and shore-based operational support.	TRL 6-8
2040	Advanced human-machine teaming where AI systems support operational planning, safety monitoring and maintenance, enabling more efficient and safer offshore operations.	TRL 7-8
	Remote support from shore-based specialists integrated into offshore operations, expanding beyond current limited remote-support capabilities.	TRL 7-8
	Standardised human-centred design approaches supporting safer and more consistent interaction across offshore vessel systems.	TRL 7-8
2050	Highly automated offshore vessel operations with human oversight supported by advanced decision-support systems.	TRL 9
	Integrated digital workforce ecosystems combining training, operations and lifecycle support.	TRL 9
	Mature social-acceptance and ethics frameworks for remote and autonomous offshore operations.	TRL 8-9

Key research gaps:

- Human-machine interaction design for high-risk offshore operations, addressing challenges related to safety, trust and usability. (TRL 5-7 -> 7-9)
- Training systems for complex hybrid and autonomous vessel systems, moving beyond current training methods towards immersive and continuous learning. (TRL 4-6 -> 7-9)
- Workload optimisation in increasingly automated offshore operations, addressing cognitive load, fatigue and human-performance limitations. (TRL 5-7 -> 7-9)
- Research on social acceptance, ethical implications and trust in remote and autonomous offshore operations. (TRL 4-6 -> 7-8)
- Research on remote-operation centres, including human oversight, decision authority, data needs and control-room design. (TRL 5-7 -> 7-9)
- Research on common human-centred design principles across offshore vessel systems and control interfaces. (TRL 5-7 -> 7-9)
- Research on crew comfort, motion exposure and seasickness in increasingly automated and remotely supported offshore operations. (TRL 4-6 -> 7-8)

4.5 Forward-looking regulation, standardisation and system-level integration

Objective: Enable harmonised regulatory frameworks that support large-scale deployment of zero-emission and digitally integrated offshore vessel operations. The objective is to move from case-by-case approval towards predictable certification, standardised interfaces, regulatory sandboxes and system-level planning that align vessels, ports, offshore energy infrastructure and digital systems.

Target capability:

Horizon	Target capability	Expected readiness
2035	Regulatory pathways enabling certification of sustainable alternative-fuel offshore vessels, reducing reliance on case-by-case approvals and enabling more predictable deployment.	TRL 7-8
	Regulatory sandboxes supporting pilot projects for offshore autonomous operations, building on current limited testing environments.	TRL 6-8
2040	International standards for offshore zero-emission vessel operations and energy systems, replacing fragmented national and project-specific frameworks.	TRL 8-9
	Integrated planning frameworks for offshore energy infrastructure and maritime logistics, addressing current lack of coordination between vessel deployment and energy systems.	TRL 7-8
2050	Fully harmonised regulatory ecosystem supporting zero-emission offshore fleets and integrated offshore energy systems, enabling efficient and scalable deployment.	TRL 9
	Global adoption of European regulatory frameworks and standards for offshore vessel technologies, positioning Europe as a leader in offshore maritime innovation.	TRL 9

Key research gaps:

- Regulatory models for autonomous offshore vessel operations, addressing current regulatory uncertainty and enabling safe deployment. (TRL 4-6 -> 7-9)
- Standards for offshore energy exchange between vessels and infrastructure, supporting integration of offshore energy systems. (TRL 4-6 -> 7-8)
- Certification frameworks for modular propulsion and energy systems, addressing the current lack of standardised approaches and enabling scalable deployment. (TRL 5-7 -> 7-9)

5. Enablers and Deployment

Deployment of the offshore vessel roadmap depends on coordinated action across energy infrastructure, vessel design, regulation, finance, digital systems, skills and procurement. Many relevant technologies and practices are already emerging through hybrid propulsion projects, battery systems, digital twins, predictive maintenance, shore-charging pilots, sustainable alternative fuel demonstrations, autonomous and remote-operation trials, and offshore wind logistics innovation.

5.1 Energy, bunkering and charging infrastructure

Zero-emission and low-emission offshore vessels require reliable access to electricity and sustainable alternative fuels where their missions take place. Deployment will depend on port-based electrification, high-capacity charging, offshore charging concepts and bunkering infrastructure for hydrogen, ammonia, methanol and other sustainable alternative fuels. These systems must be developed as part of a full energy value chain, from renewable energy production and storage to safe onboard use. Existing shore power and charging experience, port energy hub concepts, hydrogen and methanol demonstrations, and offshore renewable energy developments provide a basis for deployment. However, offshore vessels need infrastructure adapted to variable duty cycles, high power demand, long endurance and remote worksites. Standards for energy exchange between vessels, ports, offshore installations and energy infrastructure will be needed to support interoperable charging, bunkering, energy optimisation and future integration with offshore renewable assets.

5.2 Vessel design, modularity and retrofit

Offshore vessels are heterogeneous, long-lived and mission-specific. Deployment must therefore combine newbuild design with retrofit pathways. Hybrid propulsion, battery systems, energy management, dynamic positioning optimisation and energy saving devices are already available or demonstrated in several applications, but they must be integrated more systematically into offshore vessel design. Future vessel concepts should be modular, retrofit-ready and adaptable to different missions, vessel sizes and energy pathways. This will allow staged upgrades as fuels, safety cases, certification rules and infrastructure mature. Offshore vessel design must also combine energy efficiency, hydrodynamic performance, operational redundancy, climate resilience and mission equipment integration. Full-scale validation and cost-benefit evidence will be important to support investment decisions, especially for energy saving devices, next generation propulsion units and complex retrofit packages.

5.3 Safety, certification and regulatory readiness

Safety and certification are decisive deployment conditions. Offshore vessels operate near crews, ports, offshore energy assets and subsea critical infrastructure. Sustainable alternative fuels, large battery systems, high power charging, autonomous functions and remote operation require safety frameworks that move beyond case-by-case approval. Work already undertaken by class societies, technology providers, regulators and demonstration projects provides a starting point for fuel specific safety cases, battery safety, autonomous system assurance and digital certification. The next step is harmonisation. Standardised certification procedures are needed for sustainable alternative fuels, modular energy systems, autonomous functions, AI-enabled decision support and remote operations. Regulatory sandboxes and test areas should be used to generate safety and performance evidence under realistic offshore conditions. International cooperation will also be necessary to reduce fragmentation across flag states, coastal states, classification societies and operating regions.

5.4 Digital, communication and autonomy infrastructure

Digitalisation, automation and remote support require secure, reliable and interoperable digital infrastructure. Offshore vessels need robust sensing, communication, positioning and cybersecurity systems that can function in harsh environments and support mission-critical operations. Existing work on digital twins, predictive maintenance, vessel optimisation, remote monitoring and autonomous trials provides an important foundation, but deployment remains fragmented across projects,

operators and platforms. The priority is to move towards interoperable digital architectures linking vessels, offshore installations, ports, shore control centres, logistics providers and energy infrastructure. High-reliability communications, trusted positioning, cyber-secure data exchange, redundancy requirements and virtual testing environments will be essential. These systems must support not only efficiency and maintenance, but also safety, resilience, maritime domain awareness and critical-infrastructure protection.

5.5 Industrial coordination, finance and procurement

Technology deployment will depend on coordinated investment across the offshore value chain. Vessel operators, shipyards, equipment manufacturers, offshore energy developers, ports, fuel suppliers, classification societies, regulators and financiers must align vessel design, infrastructure planning, certification, procurement and operating requirements. Several deployment barriers are commercial rather than technical. Sustainable alternative fuels remain costly and unevenly available; zero-emission and alternative fuel vessels carry higher capital costs; and many offshore vessel operators face uncertain utilisation, fragmented ownership and limited access to dedicated finance. Long-term contracts, green procurement, fleet renewal instruments, retrofit support, infrastructure co-investment and targeted demonstration funding can reduce these risks. End user involvement is essential so that new technologies are operationally relevant and accepted by crews, operators and charterers. Technology transfer from aviation, automotive and defence can also accelerate progress in autonomy, safety assurance, simulation, cyber resilience and human-machine interaction.

5.6 Human capital, training and acceptance

The offshore vessel transition requires a workforce capable of operating and supervising sustainable alternative fuels, hybrid power systems, high voltage equipment, batteries, fuel cells, digital twins, autonomous functions and AI-supported decision tools. Training must therefore evolve alongside technology deployment. Simulation, extended reality, augmented reality support and remote operation centre training can build on existing maritime and offshore training practices, but need to be adapted to new fuel, automation and digital operating environments. Human-machine interface standards should ensure that systems remain usable, safe and consistent under demanding offshore conditions. Competence frameworks should cover onboard personnel, shore-based specialists, technicians, port personnel and emergency responders.

Social acceptance and wellbeing are also deployment conditions. Remote operation, AI-supported monitoring, reduced crewing and autonomous functions must be introduced with clear rules on responsibility, ethics, oversight and trust. Crew comfort, fatigue, motion exposure, seasickness and workload must remain central design and operational considerations. The roadmap will only be deployable if technological innovation is matched by skills, acceptance and safe human-centred implementation.

6. Expected Impacts

Implementation of this roadmap will support the transformation of offshore vessels into a zero-emission, safe, resilient, digitally integrated and globally competitive segment of the European waterborne sector. Impacts will be realised progressively, as technologies move from vessel-specific

pilots to fleet deployment, infrastructure integration and system level operation. Because offshore vessels differ significantly by mission, duty cycle, power profile and operating distance, impacts should be assessed by vessel family and operational mode.

6.1 Climate and environmental impacts

The roadmap will reduce greenhouse gas emissions, fuel consumption, air pollutants and wider environmental pressures from offshore vessel operations. Near-term impacts will come from hybridisation, battery systems, energy saving devices, advanced energy management, dynamic positioning optimisation, predictive maintenance and drop-in renewable fuels where available. These measures will reduce fuel use during standby, port operations, dynamic positioning, towing, lifting, dredging, cable work and other high load or variable load modes.

By the 2030s, zero emission work modes will reduce emissions at offshore fields, in ports and during defined mission-critical operations. Battery-electric and hybrid-electric systems will be most relevant for nearshore service vessels, harbour and port based support duties, and operations with frequent access to charging or bunkering. Longer endurance and higher power missions will require sustainable fuels, fuel cells and advanced hybrid architectures. By 2040 and 2050, vessel-level improvements should evolve into integrated offshore energy and logistics systems, reducing lifecycle emissions and improving energy efficiency across offshore renewable deployment, subsea infrastructure, dredging, towage and support services.

6.2 Safety, security and resilience impacts

The roadmap will strengthen safety and resilience in offshore operations. Predictive safety systems, advanced sensing, cyber-secure architectures, digital twins and improved situational awareness will reduce operational risk during dynamic positioning, heavy lift, towing, cable laying, trenching, dredging, subsea intervention and harsh-weather operations. The shift from reactive to predictive safety management will reduce downtime, improve maintenance planning and support safer execution of complex missions.

The roadmap will also improve Europe's capacity to protect and restore critical offshore and subsea infrastructure. Cable laying, cable repair, survey, construction, dredging, towage and support vessels are essential for energy assets, communication cables, interconnectors and pipelines. Improved maritime domain awareness, secure communications, autonomous inspection and resilient operational architectures will strengthen prevention, detection, response and recovery capabilities. Cybersecurity will become a core performance requirement as vessels, control centres, offshore installations and energy systems become more connected.

6.3 Industrial competitiveness and technology leadership

The roadmap will support European leadership in high-value, low-volume and technologically complex maritime markets. Offshore vessels provide a practical demonstration arena for batteries, fuel cells, sustainable alternative fuels, hybrid power systems, digital twins, remote operation, autonomous functions, mission equipment integration and advanced safety systems. Successful deployment will strengthen European shipyards, equipment manufacturers, digital providers, classification expertise, ports and offshore energy value chains.

The expected impact is stronger European capability in specialised vessel design, construction, retrofit, equipment integration and lifecycle services. This is particularly important for cable laying vessels, offshore support vessels, dredgers, construction vessels and specialised towage, where European capability is strategically significant but cannot be assumed to remain secure. The roadmap will also contribute to strategic autonomy by supporting vessels needed for offshore renewable energy, subsea infrastructure protection, coastal resilience, emergency response and dual-use preparedness.

6.4 Operational efficiency and system integration impacts

The roadmap will improve the efficiency, reliability and coordination of offshore operations. Digital energy management, mission optimisation, predictive maintenance, integrated logistics platforms and digital twins will reduce waiting time, unnecessary vessel movements, fuel use and unplanned downtime. Better coordination between vessels, offshore installations, ports, energy infrastructure and shore control centres will improve planning and asset utilisation across installation, maintenance, repair, decommissioning, dredging and towage.

Automation and remote support will deliver impacts where they improve safety, reduce exposure to hazardous conditions and support efficient mission execution. Early applications are expected in inspection, monitoring, light intervention, repetitive logistics, below-deck monitoring and selected support operations. By 2050, offshore vessels should increasingly operate as part of connected offshore energy and logistics ecosystems rather than as isolated assets.

6.5 Workforce, skills and social impacts

The roadmap will create demand for new competences in sustainable alternative fuels, high voltage systems, batteries, fuel cells, automation, remote operation, digital twins, cybersecurity, AI-supported decision tools and human-machine interaction. It will support new training programmes, simulation environments, extended reality tools and competence frameworks for seafarers, offshore technicians, shore-based operators, engineers, port personnel and emergency responders.

Expected impacts include safer work, better mission preparation, improved emergency response and stronger crew support during complex operations. Automation and remote operation must be introduced with clear rules on safety, accountability, working conditions and trust. Crew wellbeing, fatigue, motion exposure, seasickness and ergonomics will remain important performance and safety considerations.